



Vehicular Fleet Expansion and Accidents Variation Numbers: A Contribution to the Analysis of the D. Pedro I-Tamoios Exporter Road Axis

**Estevão Brasil Ruas Vernalha^{1,2} Sônia Regina da Cal Seixas^{1,3}
and João Luiz de Moraes Hoefel^{2*}**

¹*Postgraduate Program Energy Systems Planning, Faculty of Mechanical Engineering,
State University of Campinas, Brazil.*

²*Centre for Sustainability and Cultural Studies, Centro Universitário UNIFAAT (NESC/
CEPE/UNIFAAT), Estrada Municipal Juca Sanches 1050, ZIP 12954-070, Atibaia, SP, Brazil.*

³*Center for Environmental Studies and Research, NEPAM/ State University of Campinas, UNICAMP,
Rua dos Flamboyants, 155, Cidade Universitária, ZIP 13083-867, Campinas, SP, Brazil.*

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/CJAST/2019/v37i330286

Editor(s):

(1) Dr. Jakub Kostecki, Professor, Faculty of Civil Engineering, Architecture and Environmental Engineering, University of Zielona Góra, Poland.

Reviewers:

(1) Shashidhar K. Kudari, CVR Engineering College, India.

(2) Himanshu Dehra, Canada.

Complete Peer review History: <http://www.sdiarticle3.com/review-history/51166>

Original Research Article

**Received 19 June 2019
Accepted 29 August 2019
Published 05 September 2019**

ABSTRACT

Aims: This paper aims to analyse the evolution of the fleet of vehicles on the D. Pedro I Export Corridor Axis, in the period 1998-2016 and its potential relationship with vehicle accident mortality rates with two municipalities cut by this route - Atibaia and Caraguatatuba.

Study Design: The focus was to investigate to what extent the intensification of the current fleet can be related as a factor directly responsible for the increase of the occurrence of accidents, using as an indicator for this measurement the mortality rate due to accidents of Traffic.

Place and Duration of Study: Study realized in São Paulo State, Brazil, for 36 months, from July 2015 to July 2018. The data used and analysed to diverse indicators were from 1998 to 2016.

Methodology: The methodology for the analysis of the intensification of the current fleet in the studied region was based on the comparison between the evolution figures of the fleets and the mortality rates due to transport accidents. In this way, all values were arranged on an identical horizontal axis (referring to the years), to show possible correlations.

Results: The relationship between the circulation fleet increase and the increase of accidents represents the negative impact of the processes of social and environmental changes that are occurring in the region. These processes link urbanisation, risks and vulnerability due to the lack of adequate urban planning and road safety infrastructure that exposes the population of these municipalities to a higher risk of accidents.

Conclusion: The data on the evolution of vehicle fleet in the exporting Corridor unequivocally evidences an accelerated urbanisation process, while mortality rates indicate the absence or inefficiency of public sector-oriented police and the health of the population, which hinder this process and may indicate negative impacts on society as a whole.

Keywords: Vehicle fleet; mortality rates; vehicle accidents; exporter road axis; São Paulo; Brazil.

1. INTRODUCTION

The Export Hub Campinas - São Sebastião is a corridor to transport, through highways, import and export products of the Campinas region and of the entire Interior of São Paulo State, which arrive at Viracopos International Airport and to receive and distribute goods arriving by São Sebastião Port [1,2]. Its composition includes three important state highways: Dom Pedro I Highway (SP-65), Carvalho Pinto Highway (SP-70) and Tamoios Highway (SP-99). The location of the three highways can be identified in Fig. 1.

As can be seen in Fig. 1, the axis connects the interior of São Paulo State (SP-65 left end) with the São Paulo coast (SP-99 right end), making it possible to flow products and the same occurs in in the opposite direction, that is, from the coast to the interior of the state. The north coast of São Paulo State presents offshore reserves of natural gas and oil, as well as transport infrastructure, with the port of São Sebastião. It is located in the Serra do Mar, which constitutes an essential continuous fragment of the Atlantic Forest, considered one of the biodiversity hotspots.




Fig. 1. Location of highways belonging to the Campinas - São Sebastião export corridor

Source: Seixas et al (2016) [33]

Atibaia is located in the central region of SP-65 - municipality VIII, while Caraguatatuba is on the right-hand end of SP-99 - municipality I (Fig. 1). The analysis of the transformations occurring in municipalities located in different portions of the export corridor allows to investigate the influence of the dynamics of this corridor in the promotion of changes with a similar profile in both municipalities.

1.1 The Road Axis, Transport and Accident Mortality: A Brief Analysis

The transport sector, responsible for the movement dynamics of people and cargoes, is closely related to the promotion of various social and environmental impacts, of different natures. Among the most evident and most approached by authors who deal with this subject, we highlight factors such as air pollution, accidents, congestion and noise [3,4,5]. It can also address greenhouse gas emissions [4,5] and the generation of solid waste [3,4]. It is a series of problems that directly affect people's lives, including deaths and different and significant pressures on health sectors, facilitating the perception of these impacts by society [6].

Other effects caused by the transportation sector also represent important socio-environmental issues, such as the intensive use of natural resources (oil, metals, etc.), land use and occupation and the so-called "barrier effect", a phenomenon whose impact on life occurs indirectly [3,4]. The "barrier effect" is indicated as the effect caused by the presence of elements in the urban environment, natural or not, capable of preventing or restricting the displacement and movement of people. These elements may be, for example, an extensive real estate development, a broad avenue or a large river. Some authors consider the understanding of "barrier effect" also applies to the existence of vast distances between different locations [7].

Also noteworthy is the reduced accessibility facing socially disadvantaged populations. The difficulty of mobility faced by these groups reduces their ability to participate in social activities satisfactorily; contributing directly to a scenario of social exclusion [8]. This lack of accessibility generates a scenario of spatial and temporal population segregation. It is possible to identify a direct link between high vulnerability groups and the lack of access to urban equipment's that these people face. In this way, this impediment to accessibility can contribute

directly to the quality of life reduction of those whose process of displacement is substantially restricted [7].

Another critical effect to be considered is the participation of the transport sector as one of the leading human activities associated with the emission of greenhouse gases (GHG) and climate change. For some authors [9], emissions and removals of GHG are compartmented in 4 main sectors - Energy; Industrial Processes and Product Use (IPPU); Agriculture, Forestry and other Land Use (AFOLU); and Waste, and the transport scope being configured as a category belonging to the Energy sector [9]. Other authors [10] who work directly with a more significant number of more specific emission sources suggest six primary sources: "transport", "agriculture", "energy (electricity and heating)", "Industrial processes and product use", "residential" and "residues", and the large-scale biomass burning was not considered in this case because it was not contained in the database used by some authors [10]. In an author case [11] three main categories of emission sources were considered, one of them being the "production and use of energy", within which the transport sector resides as a subcategory.

Regarding the issue of accidents, it should be pointed out that most of the occurrences on the road occur in urban areas, much in function of the complex driving environments and the large number of vulnerable users who use these urban roads [12,13,14]. As for the factors that contribute most to the occurrence of road accidents, issues such as inexperience, lack of ability and risk behavior, alcohol and drug use - in the case of collisions involving young drivers - and reduced visual capacity, cognitive and mobility - in the case of older drivers must be considered [15,16,17,18,19]. In addition, one can also point to the issue of speed as one of the variables most strongly related to the occurrence of accidents [20], as well as the increase in cargo fleets, especially of trucks, and of passenger vehicles [21] and by the construction of new highways and even duplication of already existing highways [3] facts observed in a significant way in the study area of this work.

In this article, the main objective was to investigate to what extent the intensification of the circulating fleet can also be related as a factor directly responsible for the increase of the occurrence of accidents, using as a substitute

indicator for this measurement the mortality rate due to accidents of Traffic.

2. METHODOLOGY

The basic methodology for the analysis of the intensification of the current fleet in the studied region was based on the comparison between the evolution figures of the fleets and the mortality rates due to transport accidents. In this way, all values were arranged on an identical horizontal axis (referring to the years), in order to show possible correlations.

Concerning the mortality rates due to transportation accidents in Atibaia, Caraguatatuba and São Paulo State, they were obtained directly from the website of the State System for Data Analysis-SEADE [22]. Regarding the rates for Brazil, the calculations were made based on the absolute numbers of deaths due to transportation accidents at the Department of Information Technology of the Brazilian Unified Health System (SUS/DATASUS) [23], dividing them by the total population of Brazil in each year, according to the World Bank [24], and multiplying the result by 100,000 to match the base of municipalities' rates (deaths per 100,000 inhabitants).

Finally, data from the Dom Pedro I Highway fleet were obtained through the Department of Roads-DER [25,26] and the former concessionaire (DERSA) responsible for the administration of the highway during part of the period analysed [27]. In the case of the municipalities examined, the values referring to the current fleets were obtained from São Paulo State Environmental Agency-CETESB [28].

The data provided by the Highways Department of São Paulo State (DER), referring to Dom Pedro Highway's fleet, are in the format of Average Daily Volume (ADV), that is, they represent the annual average of the number of vehicles that went through each toll over the course of a day. For each toll, two ADVs are available, one for each direction of the highway.

The data treatment procedure to estimate the annual circulating fleet on the highway involves, firstly, the sum of the ADVs referring to the two directions of the Itatiba toll. Then the value found - which represents the average annual number of vehicles travelling at that point on the highway for one day - was multiplied by the number of days in a year (365).

The data provided by CETESB for the State of São Paulo's circulating fleets show values that reflect the number of new vehicles sold, subtracting the estimate number of vehicles that left circulation by scrapping. These figures are presented by year (from 1977 to 2016), by vehicle type (gasoline car, ethanol car, flex-fuel car, etc.) and by municipality (Atibaia, Caraguatatuba, etc.).

The estimation of the current fleet of the two municipalities reflects the sum of these values (new vehicles sold minus scrapped cars) for each city, from 1977 to the year corresponding to the estimated value. In the case of the state fleet, the estimate reflects the sum of the values of all 645 municipalities in the state.

3. RESULTS AND DISCUSSION

3.1 Variation of the Circulating Fleet and the Mortality Rate Due to Traffic Accidents

Air pollution refers to vehicular emissions linked to pollutants harmful to human health, such as carbon monoxide (CO), hydrocarbons, nitrogen oxides (NO_x) and others [29], representing critical environmental impacts of local and regional character. The emission of Greenhouse Gas (GHG) in the transport sector (mainly CO₂ - carbon dioxide), mostly from the burning of fossil fuels, is related to global impacts such as climate change and global temperature rise [30,31].

Regarding the region of this study, it has presented in the last decades a significant increase in the circulation of vehicles. It can be observed that, for the period 1998 to 2016, this increase was practically 100% in the Dom Pedro I Highway, according to Fig. 2, which shows the current fleet counted in one of the highway tolls (Itatiba toll).

It is noted that the intensification of the circulating fleet observed on the highways may be related to a much greater percentage increase in the number of vehicles circulating within the municipalities transposed by these highways. Two symptomatic examples are the municipalities of Atibaia and Caraguatatuba, transposed by the Dom Pedro I and Tamoios highways, respectively, whose circulating fleets grew almost 700% in the same period analysed, as shown in Fig. 3 and Fig. 4 for São Paulo State.

There is a drop in the highway fleet in the period from 2014 to 2016 that seems to coincide with

the reduction of the increase of vehicles in Atibaia and Caraguatatuba. This period is also marked by the intensification of the economic recession in Brazil and can be related to this fact a consequent reduction of the purchase of vehicles, reduction of the number of vehicles in the cities, reduction of the number of trips and of vehicles in the highways. This hypothesis will be discussed later, in the light of an economic indicator that can contribute to its validation -

evolution of the total Brazilian GDP. However, it is also noted that it would be relevant to carry out an intense educational work that emphasized to the public power, private sectors and residents the pollution that this automotive fleet generates, the problems associated with heavy traffic, including accidents, and some possibilities for reduction in the circulating fleet, such as improvements in public transport and communitarian use of vehicles [18].




Fig. 2. Current Fleet on Highway Dom Pedro I (Itatiba toll)
 Source: DER, 2019; DER, 2014; DERSA, 2013 [25,26,27]




Fig. 3. Circulating fleet in the municipalities of Atibaia and Caraguatatuba
 Source: SÃO PAULO, 2019 [28]




Fig. 4. São Paulo State Fleet
Source: SÃO PAULO, 2019 [28]

This exponential growth of the current fleets within the municipalities belonging to the study area has a direct impact on the intensification of socioenvironmental problems related to urbanisation, industrialisation and the transport sector mentioned previously, such as air pollution, accidents, congestion, noise, solid waste generation and others. Among the main possible correlations to be built from the increase

in the current fleets is the evolution of death rates caused by transport accidents. Fig. 5 shows the mortality rate due to transportation accidents per 100,000 residents of the municipalities of Atibaia and Caraguatatuba, which are directly related to the expansion of the highways and consequently to the increase of the fleet. As previously mentioned, educational and preventive actions would be relevant to reduce these occurrences.




Fig. 5. Mortality rate due to traffic accidents - Atibaia and Caraguatatuba.
Source: SEADE, 2019 [22]

The mortality curves for transportation accidents in the analysed municipalities do not behave precisely according to the evolution of their current fleets, as shown when crossing the information from Fig. 5 with Fig. 3. This behavior is natural to the extent that other variables, in addition to the existing fleet volume, also influence the mortality rate due to transportation accidents, for example, public policies to promote traffic accident prevention. However, there is a specific period of analysis that seems to allow the construction of a stronger correlation. The three evolution curves of the current fleet (Dom Pedro Highway, Atibaia and Caraguatatuba Municipalities) showed their central intensification as of 2006, a variation similar to that observed in the mortality rates due to transportation accidents (Atibaia and Caraguatatuba municipalities), which also significant increases from 2006 and 2007.

Fig. 6 shows the evolution of mortality rates due to transportation accidents in the State of São Paulo and Brazil. Brazil's traffic accident mortality rates were calculated from the absolute number of traffic accident deaths in the country [23] and the size of the Brazilian population each year [24].

Comparing the four curves (Fig. 7), it is noted that the municipality of Atibaia has higher rates than the state and the country in almost the

entire period analyzed, while Caraguatatuba is surpassed by them in some moments (1998, 2006, 2014 and 2015).

Analysis of the data collected in the research allows inferring that, during the period investigated, there are no public policy measures that have resulted in a relative reduction of the mortality rate involving traffic accidents in Atibaia and Caraguatatuba. These public actions would be extremely relevant to reduce this data. The principal reduction in the mortality rate of the series, observed since 2014 (in both cities, state and country – Fig. 7), seems to have another motivation, as it finds a direct correlation with the reduction in the intensification of the circulating fleet in the cities (Fig. 3) and with the decrease of the circulating fleet in the Dom Pedro Highway (Fig. 2) - reductions also started in 2014. And this decrease in the number of vehicles circulating in the cities and on the highway, in turn, can be explained by the reduction in economic activity in the country, which, after 2014, shows the worst results in the series (-3.8% in 2015 and -3.6% in 2016 – Fig. 8) [32].

Thus, the only significant reduction in road traffic fatalities observed in the series seems to be justified in reducing the number of vehicles added to the streets of the two cities from 2014, coupled with the poor economic performance identified in the country in 2015 and 2016.




Fig. 6. Mortality rate due to traffic accidents - State of São Paulo and Brazil
 Source: SEADE, 2019; DATASUS, 2019; World Bank, 2019 [22,23,24]




Fig. 7. Mortality rate due to traffic accidents, Atibaia, Caraguatatuba, State of São Paulo and Brazil
 SEADE, 2019; DATASUS, 2019; World Bank, 2019 [22,23,24]




Fig. 8. Evolution of the total Brazilian GDP variation
 Source: Based on IBGE, 2019 [32]

4. CONCLUSION

The scenario of the study region has environmental and economic importance, related to the diversity of natural resources existing in these localities. Although preservation efforts can be identified, it is recognized, due to the development model adopted, environmental issue conflicts with the construction and expansion of the road and port network and hydrocarbon exploration and production activities.

The model of economic development of the region results in population growth, urbanisation and disordered occupation where the new tourist developments and construction of vacation homes have been intensified and with this a significant increase in the circulating fleet and the expansion of accidents [33,34].

The data on the evolution of vehicle fleet in the exporting Corridor unequivocally evidences an accelerated urbanization process, while mortality rates for two of the municipalities - Atibaia and

Caraguatatuba - considered exemplary in all the towns studied, indicate the absence or inefficiency of public policies oriented to the health of the population, which may indicate negative impacts on society as a whole [35].

In this sense, considering the data analysed, one of the factors that drew attention was the intensification of the death rate due to accidents occurring from 2006 and 2007 in Caraguatatuba and Atibaia, coinciding with the acceleration of the growth of the current fleets of both municipalities and the Dom Pedro I highway. This correlation seems to confirm the potential influence that the expansion of the vehicle fleet has on the mortality rate due to traffic accidents.

The correlation between these two variables - number of vehicles circulating and mortality rate due to traffic accidents - has been more evident since 2014. This year, mortality rates fall significantly in both municipalities analysed at the same time that the intensification of the fleet circulating in these cities is also drastically reduced. As of this year, Brazil also faces the worst economic performance of the series studied, helping to explain the reduction of the increase of vehicles in these cities.

However, it is noted that the variation of these mortality indices does not follow the pattern of change of the current fleets throughout the analysed period. It is evident that other factors also contribute to the role of determinants capable of influencing the mortality rate due to traffic accidents in a city, in addition to the size of its circulating fleet. In this sense, authors [20] highlight the strong correlation between speed factor and collision occurrence, indicating that this variable-speed pattern - can be used indirectly to measure safety levels [20].

To reduce the frequency and severity of collisions, it is often sought to reduce vehicle speeds using Traffic Calming Measures (TCMs) [20]. These measures are configured as engineering interventions in road infrastructure, such as "raised intersections, raised pedestrian crossings, horizontal deviations of the travelled lane and reducing the lane width" [14]. Strategies that have not been used expressively in the study region and that could significantly reduce the expansion of accident and mortality rates.

Thus, the Export Corridor reflects several of the socio-environmental contradictions that are emblematic of regional and local policies and speculative interests, which do not adequately

consider the sustainability of regional natural resources, especially water resources, and do not allow management and use of natural resources in a sustainable way that promote the environmental and life quality of the population.

ACKNOWLEDGEMENTS

The authors acknowledge the Sao Paulo Research Foundation financial support (FAPESP) process number 2013/17173-5. To the Coordination for the Improvement of Higher Education Personnel - CAPES/Brazil, for granting the Master's scholarship to the first author, and part of this article comes from his master's dissertation (reference 35), and the National Council for Scientific and Technological Development - CNPq/Brazil, for granting of the Research Productivity Scholarship to the second author.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Teixeira LR. Megaprojects on the North Coast of São Paulo, Brazil: The role of large infrastructure enterprises in regional transformation. Campinas: Unicamp. Portuguese; 2013. Available:http://repositorio.unicamp.br/jspui/bitstream/REPOSIP/279975/1/Teixeira_LeonardoRibeiro_D.pdf (Accessed 20 December 2018)
2. Hoeffel, JLM, SRC Seixas, Oliveira KES, Rocha J, Lima FB. Urbanization and land use changes in the Export Corridor axis - D. Pedro I / Tamoios Highways - SP. VI ENANPUR. Belo Horizonte / MG, Brazil. Portuguese; 2015.
3. Vasconcellos EA. Transport and Environment: Concepts and information for impact analysis. Sao Paulo: Annablume. Portuguese; 2009.
4. Litman TA. Transportation cost and benefit analysis: Techniques, estimates and implications. 2nd Ed. Victoria Transport Policy Institute; 2009. Available:https://www.researchgate.net/profile/Todd_Litman/publication/235360398_Transportation_Cost_and_Benefit_Analysis_Techniques_Estimates_and_Implications/links/544a94ca0cf2d6347f401152.pdf (Accessed 18 July 2018)

5. Browne M, Allen J, Nemoto T, Patier D, Visser J. Reducing social and environmental impacts of urban freight transport: A review of some major cities. The seventh international conference on city logistics. *Procedia - Social and Behavioral Sciences*. 2012;39. Available:<https://halshs.archives-ouvertes.fr/halshs-01078143/document>
6. Melchor I, Nolascoa A, Monchoa J, Quesada JA, Pereyra-Zamora P, García-Senchermés C et al. Trends in mortality due to motor vehicle traffic accident injuries between 1987 and 2011 in a Spanish region (Comunitat Valenciana). *Accident Analysis and Prevention*. 2015; 77:21–28.
7. Souza MTRS. The influence of the barrier effect on the dynamics of cities: The case of Rio Claro - SP. *Geography Teaching & Research*. Portuguese. 2011;15(1):53-70. Available:<https://periodicos.ufsm.br/geografia/article/download/7377/4416> (Accessed 31 July 2018)
8. Adeel M, Yeh AGO, Zhang F. Transportation disadvantage and activity participation in the cities of Rawalpindi and Islamabad, Pakistan. *Transport Policy*. 2016;47:1-12.
9. Rypdal K, Paciornik N, Eggleston S, Goodwin J, Irving W, Penman J, Woodfield, M. Introduction to the 2006 Guidelines. In: IPCC guidelines for national greenhouse gas inventories; 2006. Available:https://www.ipcc-nggip.iges.or.jp/public/2006gl/pdf/1_Volume1/V1_1_Ch1_Introduction.pdf (Accessed 13 May 2018)
10. Marcotullio PJ, Sarsynski A, Albrecht J, Schulz N, Garcia J. The geography of global urban greenhouse gas emissions: An exploratory analysis. *Climatic Change*. 2013;121(4):621-634. DOI: 10.1007/s10584-013-0977-z.
11. Laurmann JA. Emissions control and reduction. *Climatic Change*. 1989;15(1-2): 271-298. DOI: 10.1007/BF00138855
12. Mondal P, Sharma N, Kumar A, Vijay P, Bhangale UD, Tyagi D. Are road accidents affected by rainfall? A case study from a large Indian metropolitan city. *Current Journal of Applied Science and Technology*. 2011;1(2):16-26. Available:<https://doi.org/10.9734/BJAST/2011/106>
13. Mandacaru PMP, Andrade AL, Rocha MS, Aguiar FP, Nogueira MSM, Girodo AM, et al. Qualifying information on deaths and serious injuries caused by road traffic in five Brazilian capitals using record linkage. *Accident Analysis and Prevention*. 2017; 106:392–398. Available:<http://dx.doi.org/10.1016/j.aap.2017.06.018>
14. Domenichini L, Branzi V, Meocci M. Virtual testing of speed reduction schemes on urban collector roads. *Accident analysis and prevention*. 2018;110: 38-51. Available:<https://www.sciencedirect.com/science/article/pii/S000145751730341X#bib0140> (Accessed 20 may 2018)
15. Hajar M, Carrillo C, Flores M, Anaya R, Lopez V. Risk factors in highway traffic accidents: A case control study. *Accident Analysis and Prevention*. 2000;32: 703–709.
16. Spoerri A, Egger M, Von Elm E. Mortality from traffic accidents in Switzerland: Longitudinal and spatial analyses. *Accident Analysis and Prevention*. 2011;43:40–48.
17. Tešića M, Hermansb E, Lipovaca K, Pešića D. Identifying the most significant indicators of the total road safety performance index. *Accident Analysis and Prevention*. 2018;113:263–278.
18. Rolison JJ, Regev S, Moutari S, Feeney A. What are the factors that contribute to road accidents? An assessment of law enforcement views, ordinary drivers' opinions, and road accident records. *Accident and Analysis Prevention*. 2018; 115:11-24. Available:https://www.researchgate.net/publication/323657339_What_are_the_factors_that_contribute_to_road_accidents_An_assessment_of_law_enforcement_views_of_ordinary_drivers_opinions_and_road_accident_records (Accessed 20 May 2018)
19. Akinniyi RJ, Akinnawo EO, Akpunne BC, Oyeleke JT. The predictive influence of demographic and personality traits on risky driving behavior among traffic offenders in Osun State, Nigeria. *Current Journal of Applied Science and Technology*. 2019; 35(4):1-12. Available:<https://doi.org/10.9734/cjast/2019/v35i430192>
20. Moreno AT, Garcia A. Use of speed profile as surrogate measure: Effect of traffic calming devices on crosstown road safety

- performance. Accident and Analysis Prevention. 2013;61:23-32.
Available:<https://www.sciencedirect.com/science/article/abs/pii/S0001457512003697> (Accessed 20 May 2018)
21. Castillo-Manzano J, Castro-Nuño M, Fageda Xavier. Can cars and trucks coexist peacefully on highways? Analyzing the effectiveness of road safety policies in Europe. Accident Analysis and Prevention. 2015;77:120–126.
 22. SEADE (State Data Analysis System Foundation). SPMI – São Paulo Municipalities Information. Portuguese; 2019.
Available:<http://www.imp.seade.gov.br/renda/> (Accessed 24 April 2019)
 23. DATASUS. Health Information (TABNET) - Deaths from external causes - Brazil. Portuguese.
Available:<http://tabnet.datasus.gov.br/cgi/defeoftm.exe? Yes / cnv / ext10uf.def>. (Accessed 29 April 2019)
 24. World Bank. Data - total population (in number of people). Portuguese; 2019.
Available:<https://data.worldbank.org/indicator/SP.POP.TOTL? Locations = BR>. (Accessed 29 April 2019)
 25. DER (Department of Highways of the State of São Paulo). Average daily traffic volume (VDM). Portuguese; 2019.
Available:http://200.144.30.103/vdm/sfcg_concessionaria.asp?codrodo (Accessed 25 April 2019)
 26. DER (Department of Highways of São Paulo State). SPCIS – São Paulo State Citizen Information Service. Portuguese; 2014.
Available:<http://www.sic.sp.gov.br/> (Accessed 15 January 2014)
 27. DERSA (Road Development S/A). Traffic volume reports. Portuguese.
Available:<http://www.dersa.sp.gov.br/travessias/estatistica> (Accessed 15 August 2013)
 28. Sao Paulo. State secretariat of the environment. Environmental sanitation technology company - CETESB. State current fleet in 2017. Vehicle Emission Reports in the State São Paulo. Portuguese; 2019.
Available:<https://cetesb.sp.gov.br/veicular/elatorios-e-publicacoes> (Accessed 06 May 2019)
 29. Philippi Jr A, Roméro MA, Bruna GC. Environmental Management Course. Barueri: Manole. Portuguese; 2004.
 30. Rossetti JP. Introduction to economy. Sao Paulo: Atlas. Portuguese; 2016.
 31. Dow K, Downing TE. The Atlas of Climate change: Mapping the world's greatest challenge. Brighton: University of California Press; 2016.
 32. IBGE (Brazilian Institute of Geography and Statistics). GDP Historical Series. Portuguese; 2019.
Available:https://agenciadenoticias.ibge.gov.br/media/com_mediaibge/files/7531a821326941965f1483c85caca11f.xls (Accessed 01 June 2019)
 33. Seixas SRC, Hoefel JLM, Rocha JV, Nunes RJ. Mental health, violence and urban global environmental change in the export corridor Tamoios D. Pedro I, São Paulo, Brazil. Urban global environmental change. Report Fapesp Process no. 2013/17173-5. Portuguese; 2016.
 34. Cal Seixas S, Moraes Hoefel JL. Megaprojects - Socioeconomic and Environmental dynamics in D. Pedro I-Tamoios Road Axis, Sao Paulo, Brazil. Advances in Research. 2019;18(6): 1-15.
Available:<https://doi.org/10.9734/air/2019/v18i630107>
 35. Vernalha EBR. The growth of the circulating fleet and the variation of CO2 vehicle emissions on the SP-65 highway. 2016. Dissertation (Masters Degree) - State University of Campinas, Faculty of Mechanical Engineering, Campinas, SP. Portuguese.
Available:<http://www.repositorio.unicamp.br/handle/REPOSIP/320776> (Accessed 31 August 2018)

© 2019 Vernalha et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
<http://www.sdiarticle3.com/review-history/51166>